

## **Document on Normalization**

MHTCET will be conducting examinations on multiple shifts. The candidates will be given different sets of questions in every shift and it is quite possible that in spite of all efforts of maintaining equivalence among various question papers, the difficulty level of these question papers administered in different shifts may not be exactly the same. In order to overcome such a situation, **Normalization Method** will be used for ensuring that candidates are neither benefitted nor disadvantaged due to the difficulty level of the examination.

The process of Normalization is an established practice for comparing candidate scores across multi shift papers and is similar to those being adopted in other large educational selection tests conducted in India.

**Percentile Scores:** Percentile scores are scores based on the relative performance of all those who appear for the examination. Basically, the marks obtained are transformed into a scale ranging from 100 to 0 for each session of examinees.

The Percentile Score indicates the percentage of candidates that have scored EQUAL TO OR BELOW (same or lower raw scores) that particular Percentile in that examination. Therefore the topper (highest score) of each session will get the same Percentile of 100 which is desirable. The marks obtained in between the highest and lowest scores are also converted to appropriate Percentiles.

The Percentile score will be the Normalized Score for the examination (instead of the raw marks of the candidate).

The Percentile Scores will be calculated up to 7 decimal places to avoid bunching effect and reduce ties.

The Percentile score of a Candidate is calculated as follows:

 $100 * (No. of candiddates appeared in the session with raw score \le the candidate's Score)$ 

Total no. of candidates in the session

Note: The Percentile of the Total shall NOT be an aggregate or average of the Percentile of individual subject. Percentile score is not the same as percentage of marks obtained.

Example: Suppose a test was held in 4 sessions of examinees as per details given below: - (Allocation of Days and shifts were done randomly)

(a) Distribution of candidates were as follows:

Session-1: Day-1 Batch 1-1, Session-2: Day-1 batch-2, Session-3: Day-2 Batch-1 and Session- 4: Day-2 Batch-2

		N	o. of Candidates	Marks		
Session	Day/Batch	Absent	Present	Total	Highest	Lowest
1	D1 B1	150	2249	2399	154	1
2	D1 B2	186	2272	2458	157	0
3	D2 B1	215	2216	2431	149	0
4	D2 B2	166	2257	2423	161	0

In this method of scoring, the HIGHEST RAW SCORE in each paper (irrespective of the raw scores) will be the 100 Percentile indicating that 100% of candidates have scores equal to or lesser than the highest scorer/ topper for that session.

**Highest Raw Score and Percentile Score:** All the highest raw scores will have normalized Percentile Score of 100 for their respective session.

Session	Total candidates appeared	Highest Raw Score	Candidates who scored EQUAL OR LESS THAN Highest Raw Score	Percentile Score	Remarks
1	2249	154	2249	100.0000000 [(2249/2249)*100]	i.e. all the highest raw
2	2272	157	2272	100.0000000 [(2272/2272)*100]	scores would be normalized to 100
3	2216	149	2216	100.0000000 [(2216/2216)*100]	Percentile Score for their respective session.
4	2257	161	2257	100.0000000 [(2257/2257)*100]	

<u>Lowest Raw Score and Percentile Score</u>: Percentile Score of all the lowest raw scores will depend on the total number of candidates who have taken the examination for their respective session.

Session	Total candidates appeared	Lowest Raw Score	Candidates who scored EQUAL OR LESS THAN Lowest Raw Score	Percentile Score	Remarks
1	2249	1	2	(2/2249) [(2/2249)*100]	i.e. Percentile Score of all the lowest raw
2	2272	0	2	(2/2272) [(2/2272)*100]	scores are different i.e. Percentile Score depend on the total number of candidates who have taken the
3	2216	0	1	(1/2216) [(1/2216)*100]	
4	2257	57 0 2		(2/2257) [(2/2257)*100]	examination for their respective session.

STEP-BY-STEP PROCEDURE FOR NORMALIZATION AND PREPARATION OF PERCENTILE SCORE:

Step-1: Distribution of Examinees in two days and in two shifts per day Candidates would be distributed into four sessions randomly so that each session has approximately equal number of candidates. These four sessions would be as follows:

Session-1: Day-1 Batch 1-1, Session-2: Day-1 batch-2, Session-3: Day-2 Batch-1 and Session- 4: Day-2 Batch-2

In the event of more number of days or more number of shifts, the candidates will be divided accordingly.

This will ensure that there is no bias in the distribution of candidates who shall take the examination. Further, with a large population of examinees spread over the entire country the possibility of such bias becomes remote.

## **Step-2: Preparation of Results for each Session:** The examination results for **each session** would be prepared in the form of

- Raw Scores
- Percentiles Scores separately for each of the three subjects (Mathematics, Physics, Chemistry) and the Total.

## **Step-3: Compilation of Total CET score:**

The Percentile scores for the Total Raw Score for all the four sessions (Session-1: Day-1 Batch 1-1, Session-2: Day-1 batch-2, Session-3: Day-2 Batch-1 and Session- 4: Day-2 Batch-2) as calculated in Step-2 above would be merged and shall be called the CET scores which will then be used for compilation of result.

The Percentile of all four sessions will be calculated separately for the Total raw score and the raw scores in three subjects (Mathematics, Physics, and Chemistry) as follows:

PERCENTILE: SESSION-1 i.e. DAY-1 Batch-1										
Roll Number	Physics		Chemistry		Mathematics		PCM Total			
	Raw Score	Percentile	Raw Score	Percentile	Raw Score	Percentile	Raw Score	Percentile		
D1 B1-01	38	89.2841263	30	100.0000000	86	99.9555358	154	100.0000000		
D1 B1-02	45	100.0000000	26	99.0217875	83	98.9773233	154	100.0000000		
D1 B1-03	45	100.0000000	22	92.0409071	86	99.9555358	153	99.9119718		
D1 B1-04	45	100.0000000	22	92.0409071	86	99.9555358	153	99.9119718		
D1 B1-05	45	100.0000000	26	99.0217875	82	98.7105380	153	99.9119718		
<b>\</b>	4	4	4	4	<b>\</b>	<b>\</b>	4	Ψ		
<b>\</b>	4	4	4	4	<b>\</b>	<b>\</b>	4	<b>V</b>		
<b>\</b>	4	4	4	4	<b>\</b>	<b>\</b>	4	<b>\</b>		
D1 B1-2244	3	3.5571365	2	6.8030236	2	2.4010671	7	1.3644366		
D1 B1-2245	2	2.4455313	0	1.2449978	3	2.8012450	5	1.2323944		
D1 B1-2246	1	1.7341040	0	1.2449978	3	2.8012450	4	1.1883803		
D1 B1-2247	0	0.3112494	2	6.8030236	0	0.5780347	2	1.1443662		
D1 B1-2248	0	0.3112494	1	2.7567808	0	0.5780347	1	1.1003521		
D1 B1-2249	1	1.7341040	0	1.2449978	0	0.5780347	1	1.1003521		

PERCENTILE: SESSION-2 i.e. DAY-1 Batch-2										
Roll Number	Ph	ysics	Chemistry		Mathematics		PCM Total			
	Raw Score	Percentile	Raw Score	Percentile	Raw Score	Percentile	Raw Score	Percentile		
D1 B2-01	45	100.0000000	30	100.0000000	82	99.9559859	157	100.0000000		
D1 B2-02	45	100.0000000	30	100.0000000	82	99.9559859	157	100.0000000		
D1 B2-03	45	100.0000000	30	100.0000000	82	99.9559859	157	100.0000000		
D1 B2-04	41	97.5792254	30	100.0000000	82	99.9559859	153	99.8679577		
D1 B2-05	41	97.5792254	26	94.6742958	86	100.0000000	153	99.8679577		
<b>\</b>	<b>V</b>	↓	<b>\</b>	↓	<b>\</b>	4	<b>\</b>	<b>V</b>		
<b>\</b>	<b>V</b>	↓	<b>\</b>	<b>V</b>	<b>\</b>	4	<b>\</b>	<b>V</b>		
<b>\</b>	<b>V</b>	↓	<b>\</b>	↓	<b>\</b>	4	<b>\</b>	<b>V</b>		
D1 B2-2268	3	4.6654930	1	2.1126761	0	0.5281690	4	0.2200704		
D1 B2-2269	2	3.3010563	0	0.9242958	1	0.9683099	3	0.1760563		
D1 B2-2270	1	2.4647887	0	0.9242958	0	0.5281690	1	0.1320423		
D1 B2-2271	0	0.4841549	0	0.9242958	0	0.5281690	0	0.0880282		
D1 B2-2272	0	0.4841549	0	0.9242958	0	0.5281690	0	0.0880282		

PERCENTILE: SESSION-3 i.e. DAY-2 Batch-1										
Roll Number	Physics		Che	Chemistry		Mathematics		/I Total		
	Raw Score	Percentile								
D2 B1-01	37	96.6155235	30	100.0000000	82	99.8646209	149	100.0000000		
D2 B1-02	41	99.4584838	26	96.6155235	82	99.8646209	149	100.0000000		
D2 B1-03	45	100.0000000	23	87.8610108	78	98.5108303	146	99.9119718		
D2 B1-04	41	99.4584838	26	96.6155235	79	99.0974729	146	99.9119718		
D2 B1-05	41	99.4584838	30	100.0000000	74	94.9909747	145	99.8239437		
4	4	<b>\</b>	4	4	4	4	4	<b>\</b>		
4	4	<b>\</b>	4	<b>\</b>	4	4	4	<b>\</b>		
4	4	<b>→</b>	4	<b>\</b>	4	4	4	<b>\</b>		
D2 B1-2212	2	5.0992780	1	1.2635379	2	3.4747292	5	2.7288732		
D2 B1-2213	1	3.2039711	2	3.8357401	2	3.4747292	5	2.7288732		
D2 B1-2214	1	3.2039711	2	3.8357401	2	3.4747292	5	2.7288732		
D2 B1-2215	3	8.4837545	0	0.5866426	0	1.0379061	3	2.5528169		
D2 B1-2216	0	1.0830325	0	0.5866426	0	1.0379061	0	2.5088028		

PERCENTILE: SESSION-4 i.e. DAY-2 Batch-2											
Roll Number	oll Number Physics		Chemistry		Math	ematics	PCN	PCM Total			
	Raw Score	Percentile	Raw Score	Percentile	Raw Score	Percentile	Raw Score	Percentile			
D2 B2-01	41	100.0000000	30	100.0000000	90	100.0000000	161	100.0000000			
D2 B2-02	41	100.0000000	30	100.0000000	90	100.0000000	161	100.0000000			
D2 B2-03	41	100.0000000	30	100.0000000	86	99.0695614	157	99.9113868			
D2 B2-04	41	100.0000000	30	100.0000000	86	99.0695614	157	99.9113868			
D2 B2-05	37	98.5378821	30	100.0000000	90	100.0000000	157	99.9113868			
<b>\</b>	<b>4</b>	<b>\</b>	<b>\</b>	<b>\</b>	<b>\</b>	<b>\</b>	<b>\</b>	<b>\</b>			
<b>\</b>	<b>1</b>	<b>\</b>	<b>\</b>	4	<b>\</b>	<b>\</b>	<b>\</b>	<b>\</b>			
<b>\</b>	4	<b>\</b>	<b>\</b>	4	<b>\</b>	<b>\</b>	<b>\</b>	<b>\</b>			
D2 B2-2253	3	14.4882588	0	0.6645990	0	0.7975188	3	0.3101462			
D2 B2-2254	0	1.9051839	2	4.8294196	0	0.7975188	2	0.1772264			
D2 B2-2255	0	1.9051839	0	0.6645990	1	1.5950377	1	0.1329198			
D2 B2-2256	0	1.9051839	0	0.6645990	0	0.7975188	0	0.0886132			
D2 B2-2257	0	1.9051839	0	0.6645990	0	0.7975188	0	0.0886132			

Merge the Percentile Scores calculated above of all four sessions for the **Total Percentile**, **Mathematics Percentile**, **Physics Percentile and Chemistry Percentile** for preparation of CET scores

PERCENTILE : All 4 sessions COMBINED									
Roll Number	Physics		Chemistry		Mathematics		PCN	/I Total	
	Raw Score	Percentile	Raw Score	Percentile	Raw Score	Percentile	Raw Score	Percentile	
D1 B1-01	38	89.2841263	30	100.0000000	86	99.9555358	154	100.0000000	
D1 B1-02	45	100.0000000	26	99.0217875	83	98.9773233	154	100.0000000	
D1 B2-01	45	100.0000000	30	100.0000000	82	99.9559859	157	100.0000000	
D1 B2-02	45	100.0000000	30	100.0000000	82	99.9559859	157	100.0000000	
D1 B2-03	45	100.0000000	30	100.0000000	82	99.9559859	157	100.0000000	
D2 B1-01	37	96.6155235	30	100.0000000	82	99.8646209	149	100.0000000	
D2 B1-02	41	99.4584838	26	96.6155235	82	99.8646209	149	100.0000000	
D2 B2-01	41	100.0000000	30	100.0000000	90	100.0000000	161	100.0000000	
D2 B2-02	41	100.0000000	30	100.0000000	90	100.0000000	161	100.0000000	
D1 B1-03	45	100.0000000	22	92.0409071	86	99.9555358	153	99.9119718	
<b>\</b>	<b>\</b>	4	4	4	4	<b>V</b>	<b>V</b>	<b>→</b>	
<b>\</b>	<b>\</b>	4	4	4	4	<b>V</b>	<b>V</b>	<b>→</b>	
<b>\</b>	<b>\</b>	<b>\</b>	<b>1</b>	4	4	<b>\</b>	<b>\</b>	<b>\</b>	
<b>\</b>	<b>\</b>	<b>\</b>	<b>1</b>	4	4	<b>\</b>	<b>\</b>	<b>\</b>	
<b>\</b>	<b>\</b>	<b>\</b>	<b>\</b>	<b>\</b>	<b>\</b>	<b>\</b>	4	<b>\</b>	
<b>\</b>	<b>\</b>	<b>\</b>	4	<b>\</b>	4	<b>\</b>	<b>\</b>	<b>\</b>	
<b>\</b>	<b>\</b>	4	4	4	4	<b>\</b>	<b>\</b>	<b>\</b>	
<b>\</b>	<b>\</b>	4	4	4	4	<b>V</b>	<b>V</b>	<b>→</b>	
<b>\</b>	<b>\</b>	4	4	4	4	<b>V</b>	4	<b>\</b>	
D2 B2-2253	3	14.4882588	0	0.6645990	0	0.7975188	3	0.3101462	
D1 B2-2268	3	4.6654930	1	2.1126761	0	0.5281690	4	0.2200704	
D2 B2-2254	0	1.9051839	2	4.8294196	0	0.7975188	2	0.1772264	
D1 B2-2269	2	3.3010563	0	0.9242958	1	0.9683099	3	0.1760563	
D2 B2-2255	0	1.9051839	0	0.6645990	1	1.5950377	1	0.1329198	
D1 B2-2270	1	2.4647887	0	0.9242958	0	0.5281690	1	0.1320423	
D2 B2-2256	0	1.9051839	0	0.6645990	0	0.7975188	0	0.0886132	
D2 B2-2257	0	1.9051839	0	0.6645990	0	0.7975188	0	0.0886132	
D1 B2-1328	0	0.4841549	0	0.9242958	0	0.5281690	0	0.0880282	
D1 B2-95	0	0.4841549	0	0.9242958	0	0.5281690	0	0.0880282	

Similar to this, the same will be calculated for Biology and overall for PCB.

NOTE: The roll numbers provided in the table are only for representational purpose.